

**To:** Simon, Paul[Simon.Paul@epa.gov]  
**Cc:** Enck, Judith[Enck.Judith@epa.gov]; Matthews, Joan[Matthews.Joan@epa.gov]; Evangelista, Pat[Evangelista.Pat@epa.gov]; Maddaloni, Mark[Maddaloni.Mark@epa.gov]; Graber, Nathan (HEALTH)[nathan.graber@health.ny.gov]; Zahnleuter, Richard (HEALTH)[richard.zahnleuter@health.ny.gov]  
**From:** Pfeiffer, Justin (HEALTH)  
**Sent:** Mon 1/11/2016 5:30:00 PM  
**Subject:** RE: Hoosick Falls  
DOH DEC rev EPA QA .docx

Paul,

Thank you for the opportunity to review and comment on the FAQ. Please find attached combined DOH and DEC comments. You will note that DOH has several concerns relating to appropriate risk communication. I believe the comments are self-explanatory, but please let us know if EPA would like to discuss any of the points in further detail.

Justin

Justin D. Pfeiffer

Director, Bureau of House Counsel

New York State Department of Health

Corning Tower, Room 2482

Albany, NY 12237-0026

P: 518-473-3233

F: 518-473-2019

**From:** Simon, Paul [mailto:Simon.Paul@epa.gov]  
**Sent:** Thursday, January 07, 2016 4:23 PM  
**To:** Graber, Nathan (HEALTH) <nathan.graber@health.ny.gov>; Zahnleuter, Richard (HEALTH) <richard.zahnleuter@health.ny.gov>; Pfeiffer, Justin (HEALTH) <justin.pfeiffer@health.ny.gov>  
**Cc:** Enck.Judith@epa.gov; Matthews, Joan <Matthews.Joan@epa.gov>; Evangelista, Pat

<Evangelista.Pat@epa.gov>; Maddaloni, Mark <Maddaloni.Mark@epa.gov>  
**Subject:** Hoosick Falls

Nathan, Richard and Justin –

EPA has received a number of inquiries from citizens in Hoosick Falls regarding a variety of issues relating to the PFOA that is present in the drinking water and groundwater. In response, we have prepared the attached “Frequently Asked Questions” document. Could you please look it over and let me know by COB tomorrow if you have any factual corrections (not stylistic changes) to it? Thank you very much. Once it’s finalized, we plan to distribute the document at the January 14<sup>th</sup> public meeting in Hoosick Falls and put it on EPA’s Hoosick Falls web page.

Paul Simon

Deputy Regional Counsel

EPA Region 2

212-637-3152

[Simon.paul@epa.gov](mailto:Simon.paul@epa.gov)